For Sale 717.697.2422



ES N. STATE ROUTE 934 ANNVILLE, PA 17003



Annette Cassel Means 717.791.2064 - direct line ameans@high.net



Light Industrial Lot Near Busy Interchange



Annette Cassel Means 717.791.2064 - direct line ameans@high.net

ES N. State Route 934 Annville, PA 17003

Acreage:

12.05 Acres

Sale Price:

\$1,807,500 (\$150,000/AC)

Description:

Located in between a full interchange of I-81 and Route 22. The gently sloping topography, the applicable zoning ordinances and the excellent location of ES N State Route 934 indicates a likely demand for the property for warehouse or light industrial uses.

LAND INFORMATION

12.05 Acres Available acreage

Municipality East Hanover Township

County **Lebanon County**

Zoning LI Light Industrial

Road access N. State Route 934

Topography Gently sloping to flat

Visibility Visibility to Route 22.

Tax identification 21-2294622-393671-0000

Surrounding uses Agriculture and Fort Indiantown Gap

Possible uses The excellent location indicates a likely demand

for the property for warehouse or light

industrial uses.

For Sale

ES N. State Route 934 Annville, PA 17003

UTILITIES

On site and private water Water

Sewer On site and private sewer

GENERAL

Between Exit 85 of Rte. I-81 and Rte. 22 Location

Distance highway access Along Rte. 934 and Rte. 22

TRAFFIC COUNTS

On Rte. I-81 Dir South, 28,843 AADT On Rte. I-81 Dir North, 28,838 AADT On Rte. 934 Dir Both, 10,374 AADT On Rte. 22 Dir West, 4,844 AADT On Rte. 22 Dir East, 4,914 AADT


DEMOGRAPHICS	<u>1 Mile</u>	<u>3 Mile</u>	<u>5 Mile</u>
Population	202	2,424	10,130
Households	81	906	3,927
Avg. HH Income	\$80,586	\$80,231	\$82,988

Location Maps





LI - Limited Industrial District



ARTICLE 14

LI - LIMITED INDUSTRIAL DISTRICT

SECTION 14.01 <u>INTENT</u> The regulations of the (LI) Limited Industrial District are designed to provide an area in which a variety of limited industrial uses and some commercial uses may be located. Essentially, this District provides for limited industrial uses as permitted by right, along with limited commercial uses and accessory retail sale of uses produced or stored on the same lot. New residential uses of land are to be excluded in this District. Limited industrial areas have been located near existing or future public utility service areas and along major roads. Design standards have been imposed to create attractive site designs and moderate the objectionable impacts associated with industrial uses. Substantial setbacks are used to protect adjoining residences.

SECTION 14.02 PERMITTED USES

- A. <u>Permitted Uses</u>. In the (LI) Limited Industrial District, the following uses are permitted:
 - Establishments housing Light Industrial uses, and having a gross floor area of 100,000 square feet or less;
 - 2. Laboratories for medical, science, industrial research and development;
 - 3. Bookbinding, printing and publishing;
 - Warehousing and wholesale trade establishments having a gross floor area of 100,000 square feet or less;
 - Sign makers;
 - Offices:
 - Vocational and mechanical trade schools;
 - Public uses and public utilities;
 - Parking lots and facilities;
 - Accessory uses customarily incidental to permitted and special exception uses in this district;
 - Industrial/Business Parks, in accordance with the requirements of Section 24.11, and with the following:

Industrial/Business Parks may include

- Uses permitted by right under Section 14.02 1. through 10. above;
- Use permitted by Special Exception under Section 14.03 A. through E., after approval by the Zoning Hearing Board; and
- c. Retail sales of products and/or assembled on the premises as an accessory use to a permitted manufacturing product or process, provided that separate structures for retail use shall be limited to 5,000 square feet, and retail sales as part of a

manufacturing process shall be limited to thirty-five percent (35%) of the total floor area and shall not exceed 5,000 square feet for each retail use.

- d. Industrial/Business Support Uses as detailed in Section 14.02 12. below.
- Industrial/Business Support Uses, subject to the following:
 - Permitted Industrial/Business Support Uses include the following:
 - (1) Hotels, motels and similar lodging facilities;
 - (2) Conference facilities;
 - (3) Banks and similar financial institutions:
 - (4) Restaurants and taverns (but not including drive-thru or fast-food restaurants);
 - (5) Delicatessens;
 - (6) Commercial day-care facilities; and
 - (7) Health and fitness clubs.
 - b. <u>Limitations on Industrial/Business Support Uses.</u>
 - (1) The uses set forth in Section 14.02 A.12.a. (1) and (2) may not occupy more than ten (10) percent of the total land area of the LI District that is (1) occupied by or (2) proposed and approved for uses permitted under Sections 14.02 A.11.a. and b., [the "Principal Uses"].
 - (2) The uses set forth in Section 14.02 A.12.a. (3) through (7), [the "Accessory Uses"], are permitted only in connection with the uses permitted under Sections 14.02 A.11.a. and b., [the "Principal Uses"], subject to the following:
 - (a) The aggregate building area for the Accessory Uses shall not exceed ten (10) percent of the aggregate building areas for the Principal Uses. The aggregate building areas for the Principal Uses and Accessory Uses shall be determined by the total building areas in the LI District that are (1) occupied by or (2) proposed and approved for Principal Uses. At no point in time shall the aggregate building areas occupied by Accessory Uses exceed ten (10) percent of the aggregate building area of Principal Uses in the LI District; and,
 - (b) The building or structure containing such uses shall maintain a minimum of a 200-foot setback from any residentially or institutionally zoned land, land in residential use or land in institutional use adjoining the lot on which the uses are located. Where the residential or institutional district, land in residential use or land in institutional use and the (LI) Limited Industrial District are separated by a street, the setback requirements of Section 14.06 shall apply.

 Tourism related uses in accordance with Article 14-A – Tourism Development Area (TDA) District.

SECTION 14.03 <u>SPECIAL EXCEPTION USES</u> The following uses are permitted, as Special Exceptions, upon issuance of a permit by the Zoning Hearing Board as provided in Articles 24 and 27 of this Ordinance:

- Establishments housing Light Industrial uses, and having a gross floor area in excess of 100,000 square feet;
- B. Machine shops;
- C. Small engine repair shops;
- D. Welding shops; and,
- E. Warehousing and wholesale trade establishments having a gross floor area in excess of 100,000 square feet.
- F. Communications Towers and Antennas subject to Section 24.09 of this Ordinance.

SECTION 14.04 LOT AREA, WIDTH AND COVERAGE REQUIREMENTS See the following table:

	Minimum Lot Area ⁽¹⁾	Minimum Lot Width	Maximum Lot Coverage
Offices	20,000 sq. ft.	100 feet	70%
Communication Towers and Antennas	(see Section 24.09)	100 feet	70%
Banks and Similar Financial Institutions	20,000 sq. ft.	100 feet	70%
Restaurants and Taverns	20,000 sq. ft.	100 feet	70%
Commercial Day-Care Facilities	20,000 sq. ft.	100 feet	70%
Other Uses (except as otherwise specified herein)	43,560 sq. ft.	200 feet	50%

Where the proposed use is served by on-lot sewage disposal facilities, the minimum lot area shall be of sufficient size to comply with DEP requirements.

SECTION 14.05 TWO OR MORE PRINCIPAL OR ACCESSORY USES A lot may include two or more principal and/or accessory uses provided that the other requirements of this section are met, including lot size, lot width and lot coverage for each structure or use, as though they were located on the same lot, provided that the distance between buildings shall be a minimum of twenty feet (20'), and provided that the side yard requirement from the property line shall be met.

SECTION 14.06 MINIMUM SETBACK REQUIREMENTS (Principal and Accessory Uses.)

A. Front yard setback - All buildings, structures (except permitted signs), off-street loading areas, dumpsters, and outdoor storage areas shall be set back at least fifty feet (50') from the adjoining right-of-way. All parking lots shall be set back at least twenty feet (20') from any adjoining right-of-way.

- B. <u>Side yard setbacks</u> All buildings, structures, (except permitted signs) dumpsters, and off-street loading areas shall be set back at least thirty feet (30') from any side property lines. All outdoor storage areas and off-street parking lots shall be set back at least twenty feet (20') from any side lot lines unless joint parking lots and/or loading areas are shared by adjoining uses. In such instances, one of the side yard setbacks can be waived solely for parking and/or loading facilities.
- C. Rear yard setback All buildings, structures, dumpsters and off-street loading areas shall be set back at least thirty-five feet (35') from any rear property lines. All outdoor storage areas and off-street parking lots shall be set back at least twenty-five feet (25') from any rear lot lines.
- D. Required buffer Where (LI) zoned land adjoins residentially or institutionally zoned lands, land in residential use or land in institutional use, landscape screening in accordance with this section is required. A comprehensive Landscape Plan which mitigates objectionable visual, noise and odor elements of the industrial land uses shall be approved by the Zoning Officer in conjunction with subdivision or land development approval or prior to issuance of a zoning permit. Such Landscape Plan shall include the design elements listed below and be prepared by a Landscape Architect registered in the Commonwealth of Pennsylvania. All plant material shall conform to AAN standards. The following dimensional and performance standards shall apply as minimum standards for compliance with this section.
 - Setbacks required Where any land or use in the (LI) Limited Industrial District adjoins land within a residential or institutional district, land in residential use or land in institutional use, a 75-foot setback for buildings, structures, dumpsters, outdoor storage areas, and off-street loading areas shall be required. In addition, off-street parking lots shall be set back at least fifty feet (50') from adjoining residentially or institutionally-zoned properties, land in residential use or land in institutional use.

Required multi-level screening:

Within the setback areas created by the standards of this section, the following screening requirements shall be applied:

- Required low level visual screens. (The alternate standards listed below may be used in combination to achieve a total height of four feet (4') or individually to achieve the required screen height as alternatives.)
 - (1) Solid visual barrier (low level) may consist of a combination of site grading, earth mounding, decorative fencing, or masonry walls provided a solid visual barrier to a height of four feet (4') above finished grade of industrial parking, loading and driveway areas.
 - (2) Plant material screen (low level) may consist of mixture of narrow and broad leaf evergreen and deciduous plant material arranged in a massed planting scheme capable of providing a visual screen to a height of four feet (4') above finished grade of industrial parking, loading and driveway areas. As a minimum, plant material shall be placed in two staggered rows at a maximum of five feet on center. Upright plant material shall be installed at a minimum height of 24 inches. Plant material shall be capable of forming a year-round dense visual screen.
- b. <u>Required high level screens</u>. These standards are to be utilized in combination with the low level screening standards to achieve the required multi-level visual screen. The following solid and plant material screen standards (including existing

vegetation) may be used singly or in combination. The solid visual barrier is mandatory at the locations noted.

- (1) Solid visual barrier (high level) shall consist of masonry, wood or a combination of masonry, wood or other durable decorative fencing material providing a solid visual barrier sufficient to shield from view objects in the industrial area to a minimum height of six feet (6'). A solid visual barrier is required as an element of the required multi-level screen at industrial outdoor storage, waste and/or recyclable products storage and waste and/or recyclable material container locations.
- (2) Plant material screen (high level) shall consist of a mixture of evergreen and deciduous plant material arranged in a varied planting scheme sufficient to shield from view objects in the industrial area from a height of four feet (4') to a height of twenty feet (20'). As a minimum, plant material shall be placed in two staggered rows at a spacing of not more than one-half the mature height. Upright evergreen plant material shall be installed a minimum height of four feet (4') to five feet (5'). Minimum caliper size for deciduous material shall be one and one-half inches for specimen or flowering plant material with mature height of less than twenty feet (20'). Minimum caliper size for deciduous plant material with mature height in excess of twenty feet (20') shall be two and one-half inches.
- 3. Provision for preservation of existing natural vegetation. Existing trees and vegetated areas shall be protected to prevent unnecessary destruction. Existing trees may be incorporated into the Landscape Plan to meet requirements for screening. At least twenty-five percent (25%) of the number of trees (minimum trunk caliper of six inches) that exist at a time of plan submission shall be preserved or replaced. Replacement trees shall be minimum two-inch caliper and of equivalent indigenous species. Natural vegetative cover may be re-established in appropriate areas in accordance with the approved Landscape Plan.
- E. <u>Accessory recreation uses</u> These facilities can be developed in any side or rear yard to within fifty feet (50') of any property line. Passive recreation facilities, including bike paths and walking paths, may be developed within the front, side and rear yard setback lines.

SECTION 14.07 MAXIMUM PERMITTED STRUCTURAL HEIGHT The height of any principal structure, or any accessory structure, shall not exceed forty feet (40'), except that this maximum height may be increased to not greater than seventy-five (75') by Special Exception granted by the Zoning Hearing Board in accordance with the requirements of Article 27 of this Ordinance. All structures (except permitted signs) shall be set back a distance at least equal to their height from all property lines. Provided, however, that if the lot is adjacent to a residential or institutional district, land in residential use or land in institutional use, the minimum yard dimension for the yard immediately adjoining the residential district shall be increased by two feet (2') for every foot of building over forty feet (40'). This increase shall be in addition to all other minimum yard dimensions set forth in Section 14.06.

SECTION 14.08 OFF-STREET PARKING AND LOADING Off-street parking and loading shall be provided as specified in Article 20 of this Ordinance.

SECTION 14.09 SIGNS Signs shall be permitted as specified in Article 21 of this Ordinance.

SECTION 14.10 <u>ACCESS REQUIREMENTS</u> The subject tract or park site, in the case of an industrial park, shall front on or gain access from either an arterial, major collector, or minor collector road as identified in the East Hanover Township Comprehensive Plan, or a street in a proposed subdivision or land

development plan which conforms to prevailing arterial or collector street design and improvement requirements. In the case of a proposed subdivision of lots not involving a planned Industrial/Business Park, common access drives shall be utilized to minimize the number of access points onto adjacent roads. All access drives shall be designed and constructed in accordance with Section 20.07 of this Ordinance.

SECTION 14.11 <u>LANDSCAPING</u> A comprehensive Landscape Plan that provides a coordinated overall planting and landscape effect, and demonstrated compliance with the provisions of this Ordinance, is required for development within the (LI) Limited Industrial District. Such Landscape Plan shall be prepared by a Landscape Architect registered in the Commonwealth of Pennsylvania. Any portion of the site not used for buildings, structures, parking lots, loading areas, outdoor storage areas, passive recreation facilities, and sidewalks shall be maintained with a vegetative ground cover and other ornamental plantings.

SECTION 14.12 <u>WASTE PRODUCTS</u> Dumpsters may be permitted within the side or rear yard, provided such dumpsters are screened from any adjoining roads or properties. All waste receptacles shall be completely enclosed. Dumpsters shall be set back a minimum of seventy-five feet (75') from any adjoining residentially zoned properties and shall be screened in accordance with the provisions of Section 14.06 of this Ordinance.

SECTION 14.13 <u>SUPPLEMENTARY DISTRICT REGULATIONS</u> The Supplementary District Regulations in Article 18 shall apply, where applicable, as additional requirements for this district.

SECTION 14.14 <u>PERFORMANCE STANDARDS</u> All industrial activities shall be subject to the conditions listed in Section 18.23, Performance Standards, of this Ordinance. In addition, an applicant proposing a manufacturing and/or laboratory use shall provide a detailed description of the proposed use in each of the following topics:

- A. The nature of the on-site processing operations, the materials used in the process, the products produced, and the generation and methods for disposal of any byproducts. In addition the applicant shall furnish evident that the disposal of materials will be accomplished in a manner that complies with State and Federal regulations; and
- B. Any environmental impacts that are likely to be generated (e.g. noise, smoke, dust, litter, glare, vibration, electrical disturbance, wastewater, storm water, solid waste, etc.) and specific measures employed to mitigate or eliminate any negative impacts. The applicant shall further furnish evidence that the impacts generated by the proposed use fall within acceptable levels as regulated by applicable laws and ordinances and commonly accepted standards.

SECTION 14.15 OUTDOOR STORAGE

- A. Storage shall be permitted outdoors, but the items stored shall not be visible from a public right-of-way. Outdoor storage within five hundred (500) feet of a residential or institutional district boundary, land in residential use or land in institutional use shall be effectively screened from view of any adjacent residential or institutional use. Screening shall consist of evergreen plantings, architectural screen, or approved safety fence, in accordance with the requirements of Section 14.06.
- No storage shall be permitted within the front yard of any lot.
- C. Outside storage of raw materials and/or finished products shall be permitted only within the buildable area of the lot to the rear of the front building wall of the principal building, and shall not exceed twenty (20) feet in height.
- D. All organic refuse or garbage shall be stored in tight, vermin-proof containers. In multiple family, commercial, industrial and other nonresidential developments, garbage storage shall be centralized to expedite collection and enclosed on three sides by architectural screen or plantings.

E. No flammable or explosive liquids, solids or gases shall be stored in bulk above ground, except for tanks of fuel (1) directly connected to energy or heating devices or (2) used in conjunction with active agricultural or construction activities. A list of such liquids, solids or gases stored on site shall be supplied to the appropriate fire companies serving the Township.

SECTION 14.16 <u>TRAFFIC IMPACT STUDIES</u> Applicable non-residential developments shall comply with the Traffic Impact Studies requirements of the Lebanon County Subdivision and Land Development Ordinance.

SECTION 14.17 <u>ENVIRONMENTAL IMPROVEMENTS AND ENERGY CONSERVATION REQUIREMENTS</u> The environmental and energy requirements in Article 19 shall apply, where applicable, as additional requirements for this district.



1853 William Penn Way Lancaster, PA 17601

717.291.2284 FAX 717.293.4488

1.800.638.4414

5000 Ritter Road

Suite 201

Mechanicsburg, PA 17055

717.697.2422

FAX 717.697.0870 1.800.213.0094

495 Highlands Boulevard

Suite 103

Coatesville, PA 19320

610.380.8437

FAX 610.380.0583

11020 David Taylor Drive

Suite 130

Charlotte, NC 28262

704.688.0800

FAX 704.688.0801

6497 Parkland Drive

Suite E

Sarasota, FL 34243

941.756.5599

FAX 941.758.7614

Information furnished regarding property for sale or rent is from sources deemed reliable, but is not guaranteed. No warranty or representation is made as to accuracy thereof and is submitted subject to errors, omissions, change of price, or other conditions, prior sale or lease or withdrawal without notice. No liability of any kind is to be imposed on the broker herein.